



CERTIFICATE NUMBER

DATE

06-HG204983-3-PDA

22 October 2013

ABS TECHNICAL OFFICE

Hamburg Engineering Department

# CERTIFICATE OF DESIGN ASSESSMENT

This is to Certify that a representative of this Bureau did, at the request of  
**TRAFAG AG - CH-8608 BUBIKON**

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

PRODUCT: **Pressure Switch**


MODEL: **"PRESSOSTAT" 944, 947**

This Product Design Assessment (PDA) Certificate 06-HG204983-3-PDA, dated 22/Oct/2013 remains valid until 21/Oct/2018 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

AMERICAN BUREAU OF SHIPPING  
  
Wulf-Peter Senebald  
Engineer

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by the terms and conditions as contained in ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010).

**TRAFAG AG**

INDUSTRIESTRASSE 11  
CH-8608 BUBIKON  
Switzerland  
Email: trafag@trafag.com  
Web: www.trafag.com

**MA Certificate No.** 12-MF2216813-X

---

**Product:** Pressure Switch

**Model:** "PRESSOSTAT" 944, 947

**Intended Service:**

Pressure control, alarm and monitoring functions for marine applications.

**Description:**

Piston type sensor.

**Ratings:**

Measuring ranges: 1...10 to 60...600 bar.

Output: Floating change-over contact.

Repeatability: +/-1.0% FS typ.

Scale accuracy: +/-2.0% FS typ.

Ambient temperature: -25°C to 70°C.

Medium temperature: -30°C to 100°C (for Nitril O-rings), -15°C to 150°C (for Viton O-rings).

Degree of Protection: IP 65, IEC 60529

**Service Restrictions:**

Unit Certification is not required for this product. If the manufacturer or purchaser's request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.

**Comments:**

Duplicate PDA exists with Trafag spol. s.r.o. Tachov/ CZ.

**Notes / Drawings / Documentation:**

This Product Design Assessment (PDA) is valid only for products intended for use on ABS classed vessels, MODUs or facilities which are in existence or under contract for construction on the date of the ABS Rules used to evaluate the Product. Use in a non-classed vessel, MODU's or Facility is to be to the satisfaction of the manufacturer and purchaser.

**Term of Validity:**

This Product Design Assessment (PDA) Certificate 06-HG204983-3-PDA, dated 22/Oct/2013 remains valid until 21/Oct/2018 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

**STANDARDS**

**ABS Rules:**

The manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product. The Rules applicable to this assessment are:

2013 Rules for Building and Classing Steel Vessels 1-1-4/7.7, 1-1-Appendix 3, 4-8-3/1.7/1.11.1/1.17, 4-9-7/13.1

**National:**

N A

**TRAFAG AG**

INDUSTRIESTRASSE 11  
CH-8608 BUBIKON  
Switzerland  
Email: trafag@trafag.com  
Web: www.trafag.com

**MA Certificate No.** 12-MF2216813-X

---

**International:**

N.A.

**Government Authority:**

N.A.

**EUMED:**

N.A.

**Others:**

N.A.